



Textures

REGISTERED EMBOSSED LVT





*Wood flooring,
reimagined.*



Textures

REGISTERED EMBOSSED LVT

Contents

HERRINGBONE

Sycamore	TH01	6
Old English Oak	TH02	8
Tudor Oak	TH03	10
Washed Oak	TH04	12

PLANKS

Sycamore	TP01	16
Old English Oak	TP02	18
Tudor Oak	TP03	19
Washed Oak	TP04	20
Weathered Oak	TP05	22
Distressed Oak	TP06	24
Honey Oak	TP07	26
Ash	TP08	28





HONEY OAK Plank TP07

INTRODUCTION

WHY CHOOSE TEXTURES?

Experience the beauty of natural wood with the practicality of stick-down LVT (luxury vinyl tile) for the perfect balance of style and functionality.

Registered Embossing is used to create organically inspired surfaces that look and feel just like natural hardwood, for an ultra-realistic appearance.

High-end quality, finish and durability have been achieved through the best industry R&D, placing Textures at the pinnacle of LVT production.

Textures has exceptional durability with a commercially-rated and scratch-resistant 0.55mm wear layer, making it suitable for residential and commercial areas. It is also stain and water-resistant, so that maintaining and caring for your new floor

is incredibly easy. This all-round durability makes it especially suitable for kitchens, bathrooms and play areas.

Textures is backed by 30-year residential and 15-year commercial warranties.

- Registered Embossed finish
- Class 33 Heavy Contract
- 2.5mm thick
- 0.55mm wear layer
- Slip-resistant rated +36
- Water-resistant
- Easy to clean and maintain
- Rated A+ for VOC emissions
- Contains no formaldehyde
- 30-year residential warranty
- 15-year commercial warranty



Registered Embossing for an Ultra-Realistic Finish

Textures is a high-end product with a highly authentic look and feel, thanks to its Registered Embossed finish. But what does this mean?

The embossed surface texture exactly matches the pattern of the realistic wood-grain film beneath, so what you can see matches what you can feel. Each knot and grain is realised for an ultra-realistic appearance.







HERRINGBONE




Herringbone floors make a really bold statement and you can create the iconic zig-zag pattern in several ways in addition to some more unusual options. Below are a selection of the more popular Herringbone laying patterns.




Traditional Herringbone




Double Herringbone



Diagonal Herringbone



Herringbone / Plank Mix



Herringbone Ladder

SYCAMORE Herringbone **TH01**
Available in matching Plank **TP01**

Colours	4
Thickness	2.5mm
Wear layer	0.55mm
Size	95mm x 380mm
Planks per pack	24 planks = 0.8664m ²
Warranty	30-year residential 15-year commercial

Herringbone is an elegant and highly versatile option that will very easily transform your home or workplace. It is suitable for traditional and contemporary settings and can be installed in a variety of laying patterns.

SYCAMORE Herringbone **TH01**
Available in matching Plank **TP01**



OLD ENGLISH OAK Herringbone **TH02**
Available in matching Plank **TP02**




Highly Durable

Textures features a commercially-rated 0.55mm thick wear layer, making it suitable for both residential and commercial areas. The wear layer protects the floor from scuffs and scrapes, preserving it for many years.

OLD ENGLISH OAK Herringbone **TH02**
Available in matching Plank **TP02**



TUDOR OAK Herringbone **TH03**
Available in matching Plank **TP03**



Realistic Appearance

Textures has the most realistic aesthetic with a Registered Embossed surface that looks and feels just like natural hardwood. Bevelled edges complete the look.

TUDOR OAK Herringbone **TH03**
Available in matching Plank **TP03**



WASHED OAK Herringbone **TH04**
Available in matching Plank **TP04**



Easy to Maintain

Textures is incredibly easy to look after. The wear layer is highly scratch and stain-resistant which preserves its appearance for many years. All that is required is a soft brush and spray mop.

WASHED OAK Herringbone **TH04**
Available in matching Plank **TP04**



SYCAMORE Herringbone **TH01**
Available in matching Plank **TP01**



OLD ENGLISH OAK Herringbone **TH02**
Available in matching Plank **TP02**



TUDOR OAK Herringbone **TH03**
Available in matching Plank **TP03**



WASHED OAK Herringbone **TH04**
Available in matching Plank **TP04**

Matching Planks

All four Textures Herringbone products have matching Planks available on the following pages.

PLANKS



SYCAMORE Plank **TP01**
Available in matching Herringbone **TH01**

Textures Planks are available in a sumptuous choice of six Oak options in addition to Sycamore and Ash, four of which are available in matching Herringbone (see pages 6-15).

Choose from deliciously warm Honey Oak through to the rich chocolatey Tudor Oak or the cooler Ash and everything in between.

Colours	8
Thickness	2.5mm
Wear layer	0.55mm
Size	187mm × 1227mm
Planks per pack	16 planks = 3.67m ²
Warranty	30-year residential 15-year commercial



SYCAMORE Plank **TP01**
Available in matching Herringbone **TH01**



OLD ENGLISH OAK Plank **TP02**
Available in matching Herringbone **TH02**

TUDOR OAK Plank **TP03**
Available in matching Herringbone **TH03**



Water-Resistant

Textures is stain and water-resistant, making it a great choice for bathrooms, kitchens and play areas.

WASHED OAK Plank **TP04**
Available in matching Herringbone **TH04**



Safety First

Textures contains no formaldehyde or heavy metals and is rated A+ for VOC emissions and has also achieved Eurofins Gold Certification for Indoor Air Comfort. In addition, Textures is FloorScore certified, all of which makes it completely safe for your home.

WASHED OAK Plank **TP04**
Available in matching Herringbone **TH04**



No Need for Expansion Gaps


Textures LVT requires glue for fitting and can be fitted tight against straight and curved walls and fixtures, which means there is no requirement for any expansion gaps.



DISTRESSED OAK Plank **TP06**



DISTRESSED OAK Plank **TP06**



Slip-Resistant

Textures rates highly in PTV (Pendulum Slip Value) tests with a rating of 36+ which is deemed as low slip potential.

PTV tests are conducted in accordance with the UKSRG (UK Slip Resistance Group) and HSE (Health and Safety Executive) guidelines. PTV test ratings are as follows:

- 0-24 High risk
- 24-35 Moderate risk
- 36+ Low risk



Suitable for Underfloor Heating

With comfort in mind, Textures is manufactured for use in rooms having water-based UFH (underfloor heating) systems.

The surface temperature must not exceed 27°C and flooring must be fitted in accordance with BS EN 1264-2, as well as the UFH manufacturer's guidelines. If other UFH systems are used, please consult your flooring supplier for suitability.



SYCAMORE Plank **TP01**
Available in matching Herringbone **TH01**



OLD ENGLISH OAK Plank **TP02**
Available in matching Herringbone **TH02**



WEATHERED OAK Plank **TP05**



DISTRESSED OAK Plank **TP06**



TUDOR OAK Plank **TP03**
Available in matching Herringbone **TH03**




WASHED OAK Plank **TP04**
Available in matching Herringbone **TH04**



HONEY OAK Plank **TP07**




ASH Plank **TP08**



Textures

REGISTERED EMBOSSED LVT

Wood flooring, reimagined.



The Textures LVT range has a Declared Slip Rating of 36+ in PTV (Pendulum Slip Value) tests, which is deemed as low slip potential. See page 27 for more details.

For a Technical Data Sheet and information on cleaning, maintenance, installation and warranties, please refer to www.textureslvt.co.uk