Textures

REGISTERED EMBOSSED LVT

COMMERCIAL HEAVY CONTRACT USE BASKET WEAVE COMBINATIONS Total freedom to create unique luxury Basket Weave floors in extra-matt EIR finish 0.55mm COMMERCIAL WEAR LAYER




BASKET WEAVE COMBINATIONS

Sycamore	8
Old English Oak	12
Tudor Oak	16
Washed Oak	20
Weathered Oak	24
Distressed Oak	28
Honey Oak	32
Ash	36
Blonde Oak	40
Light Oak	44
Summer Oak	48
Country Oak	52
Traditional Oak	56
Cottage Oak	60
Aged Oak	64
Warm Walnut	68
Basket Weave Swatches	72



Frame: SUMMER OAK **TH-11** Insert: AGED OAK **TBW-15**



15 YEAR COMMERCIAL WARRANTY




The Power to Choose

Textures[®] Basket Weave Combinations gives you the ability to have total freedom of choice when it comes to colour, frame size, shape and laying pattern.


Choose to replicate this rich and storied flooring design in a massive choice of solid or mixed colours to match your decor or add a bold and striking design statement.


Below are a variety of frame shapes to illustrate how they can be used to create different patterns either in a diagonal or straight-lay to suit your space.







Bevelled edges on both the inserts and frames complete the look for an authentic finish.







































BASKET WEAVE COMBINATIONS

Basket Weave first gained prominence in France during the 17th century, embraced by the wealthy elite as a symbol of elegance and luxury.

This bold statement in floor design is experiencing renewed popularity, making a strong return to modern homes and commercial spaces.

We have invested in advanced cutting-edge machine technology to now offer Textures® Basket Weave Combinations, a truly unique collection that gives you the power to choose endless colour options.

Textures[®] is a high-end LVT product that looks and feels just like real hardwood flooring, owing to its Registered Embossing (also known as EIR), a raised surface texture that matches the pattern of the wood-grain.

Boasting a commercially-rated 0.55mm wear layer (20% denser than most competitors), Textures® has exceptional scratch-protection from scuffs, scrapes and stains from furniture, pets and little ones.

This protection ensures your new floor will maintain its great looks for many years, making it very easy to look after — just a soft brush and spray mop will do it. Textures® is also highly water-resistant which makes it ideal for kitchens and bathrooms (not wetrooms).

- A choice of frames and inserts offers endless colour combinations
- 2.5mm thickness
- 0.55mm commercial wear layer
- Registered Embossed (EIR) finish
- · Ultra-matt finish (low sheen)
- · Highly water- and stain-resistant
- Slip-resistant rated +36
- · Micro-bevelled edges
- Easy to clean and maintain
- Rated A+ for VOC emissions
- Contains no formaldehyde
- 30-year residential warranty
- 15-year commercial warranty

Registered Embossing for an Ultra-Realistic Finish

Textures® stick-down LVT is designed to match the look and feel of real hardwood flooring.

Registered Embossing (known as EIR) achieves this using advanced manufacturing techniques that produces a three-dimensional surface texture that exactly follows the knots and patterns of the wood-grain film layer below.

In doing so, what you can see also matches what you can feel.

6





Colours	16
Thickness	2.5mm
Wear layer	0.55mm
Box A (frame)	95mm × 380mm
Box B (inserts)	142.5mm×142.5mm
Units per pack	Frame: 72 units = 2.599m ² Insert: 62 units = 1.259m ²
Total coverage	3.858m² (Box A + Box B)
Warranty	15-year residential 30-year commercial

The Combinations range is designed to be completely flexible, allowing you total freedom of choice like never before.

Our unique 2-part set comprises of Box A (the frame) and Box B (square inserts).

Simply choose the colour for each from a range of 16 wood-finishes, or go one step further and combine several colours together for a bold, one-off piece.

Frame: SYCAMORE **TH-01**Insert: SYCAMORE **TBW-01**

Frame: SYCAMORE **TH-01**Insert: SYCAMORE **TBW-01**








Exceptionally Durable

Textures® is made to last. It has a commercially-rated 0.55mm thick wear layer, suitable for residential and commercial areas. The wear layer protects the floor from scuffs and scrapes, helping preserve its good looks and making it exceptionally easy to maintain.

Frame: OLD ENGLISH OAK **TH-02**Insert: OLD ENGLISH OAK **TBW-02**





Frame: OLD ENGLISH OAK **TH-02**Insert: HONEY OAK **TBW-07**



Ultra-Realistic Appearance
Textures® has the most realistic aesthetic with a deep
Registered Embossed surface that looks and feels just
like natural hardwood. Micro-bevelled edges on both the frame and inserts complete the look.

Frame: TUDOR OAK **TH-03**Insert: TUDOR OAK **TBW-03**





Frame: TUDOR OAK **TH-03**Insert: TUDOR OAK **TBW-03**

Frame: TUDOR OAK **TH-03**Insert: DISTRESSED OAK **TBW-06**





Water-Resistant

For complete peace of mind, Textures® is highly water- and stain-resistant which makes it an ideal choice for living rooms, hallways, bathrooms (not wetrooms), kitchens and play areas.

Frame: WASHED OAK **TH-04**Insert: WASHED OAK **TBW-04**





Frame: WASHED OAK **TH-04**Insert: DISTRESSED OAK **TBW-06**






Easy to Maintain

Textures® is designed with easy maintenance in mind and features a 0.55mm thick commercially-rated wear layer. This is exceptionally scratch- and stain-resistant which means looking after it couldn't be any easier — just a soft brush and spray mop will do it.

Frame: WEATHERED OAK **TH-05**Insert: WEATHERED OAK **TBW-05**








A Striking Aesthetic
The Basket Weave pattern has a striking and sophisticated aesthetic with a rich history dating back to 17th century France, when it was embraced by the wealthy elite as a symbol of elegance and luxury.

We have invested heavily in the latest cutting-edge machine technology to recreate this classic design at a fraction of the cost you will see elsewhere, but with the flexibility of combining different colours for a truly bespoke floor.

Frame: DISTRESSED OAK **TH-06**Insert: DISTRESSED OAK **TBW-06**






Frame: DISTRESSED OAK **TH-06**Insert: TUDOR OAK **TBW-03**

Frame: DISTRESSED OAK **TH-06**Insert: TUDOR OAK **TBW-03**





No Need for Expansion Gaps
Textures® LVT requires only glue for installation. It can be fitted tight against straight and curved walls and fixtures, which means there is no requirement for expansion gaps.

Frame: HONEY OAK **TH-07** Insert: HONEY OAK **TBW-07**

Frame: HONEY OAK **TH-07**Insert: HONEY OAK **TBW-07**





Frame: HONEY OAK **TH-07**Insert: OLD ENGLISH OAK **TBW-02**

Frame: HONEY OAK **TH-07** Insert: OLD ENGLISH OAK **TBW-02**





Safety First

Textures® is completely safe for your home. It contains no formaldehyde or heavy metals and is rated A+ for VOC emissions. It also achieves Eurofins Gold Certification for Indoor Air Comfort® and is FloorScore® certified.

Frame: ASH **TH-08** Insert: ASH **TBW-08**









Ultra-Matt Finish

Textures® is designed with an ultra-matt finish which avoids the high surface glare commonly associated with glossy floors.

This also showcases the superior scratch-resistant EIR surface which far exceeds almost all other brands.

Frame: BLONDE OAK **TH-09**Insert: BLONDE OAK **TBW-09**






Frame: BLONDE OAK **TH-09**Insert: WALNUT **TBW-16**

Frame: BLONDE OAK **TH-09** Insert: WALNUT **TBW-16**





Highly Slip-ResistantTextures® rates highly in PTV (Pendulum Slip Value) tests with a rating of 36+ which is deemed as low slip potential.

PTV tests are conducted strictly in accordance with the UKSRG (UK Slip Resistance Group) and HSE (Health & Safety Executive) guidelines. PTV test ratings are as follows:

• 0-24 High risk

• 24-35 Moderate risk

• 36+ Low risk

Frame: LIGHT OAK **TH-10** Insert: LIGHT OAK **TBW-10**

Frame: LIGHT OAK **TH-10**Insert: LIGHT OAK **TBW-10**








Suitable for Underfloor Heating
With comfort in mind, Textures® is manufactured for use in rooms using water-based UFH (underfloor heating) systems.

Surface temperature must not exceed 27°C and flooring must be fitted in accordance with BS EN 1264-2, as well as the UFH manufacturer's guidelines. If other UFH systems are used, please first consult your flooring supplier for suitability.


Frame: SUMMER OAK **TH-11** Insert: SUMMER OAK **TBW-11**





<u>51</u>

Frame: SUMMER OAK **TH-11**Insert: AGED OAK **TBW-15**Insert: AGED OAK **TBW-15**




Warranty and Certification

Very few brands can compare with the high-end manufacturing, detail and performance of the Textures® LVT Collection.

We offer complete peace of mind with our 15-year Residential and 30-year Commercial Wear Warranties.

Frame: COUNTRY OAK **TH-12**Insert: COUNTRY OAK **TBW-12**

Frame: COUNTRY OAK **TH-12**Insert: COUNTRY OAK **TBW-12**






Frame: COUNTRY OAK **TH-12**Insert: TRADITIONAL OAK **TBW-13**


Frame: COUNTRY OAK **TH-12** Insert: TRADITIONAL OAK **TBW-13**






Frame: TRADITIONAL OAK **TH-13**Insert: TRADITIONAL OAK **TBW-13**

Frame: TRADITIONAL OAK **TH-13**Insert: TRADITIONAL OAK **TBW-13**



Frame: TRADITIONAL OAK **TH-13**Insert: COUNTRY OAK **TBW-12**



Frame: COTTAGE OAK **TH-14**Insert: COTTAGE OAK **TBW-14**


Frame: COTTAGE OAK **TH-14**Insert: COTTAGE OAK **TBW-14**





Frame: COTTAGE OAK **TH-14**Insert: LIGHT OAK **TBW-10**Insert: LIGHT OAK **TBW-10**





Frame: AGED OAK **TH-15** Insert: AGED OAK **TBW-15** Frame: AGED OAK **TH-15** Insert: AGED OAK **TBW-15**







Frame: AGED OAK **TH-15**Insert: BLONDE OAK **TBW-09**

Frame: AGED OAK **TH-15** Insert: BLONDE OAK **TBW-09**





Frame: WALNUT **TH-16**Insert: WALNUT **TBW-16**





Frame: WALNUT **TH-16**Insert: SUMMER OAK **TBW-11**

Frame: WALNUT **TH-16**Insert: SUMMER OAK **TBW-11**



Frame: SYCAMORE **TH-01**Insert: SYCAMORE **TBW-01**



Frame: OLD ENGLISH OAK **TH-02**Insert: OLD ENGLISH OAK **TBW-02**



Frame: WEATHERED OAK **TH-05**Insert: WEATHERED OAK **TBW-05**



Frame: DISTRESSED OAK **TH-06**Insert: DISTRESSED OAK **TBW-06**



Frame: TUDOR OAK **TH-03**Insert: TUDOR OAK **TBW-03**



Frame: WASHED OAK **TH-04**Insert: WASHED OAK **TBW-04**



Frame: HONEY OAK **TH-07**Insert: HONEY OAK **TBW-07**



Frame: ASH **TH-08** Insert: ASH **TBW-08**

VIEW NEXT 8 COLOURS 🗲



Frame: BLONDE OAK **TH-09**Insert: BLONDE OAK **TBW-09**



Frame: LIGHT OAK **TH-10**Insert: LIGHT OAK **TBW-10**



Frame: TRADITIONAL OAK **TH-13**Insert: TRADITIONAL OAK **TBW-13**



Frame: COTTAGE OAK **TH-14**Insert: COTTAGE OAK **TBW-14**



Frame: SUMMER OAK **TH-11**Insert: SUMMER OAK **TBW-11**



Frame: COUNTRY OAK **TH-12**Insert: COUNTRY OAK **TBW-12**



Frame: AGED OAK **TH-15** Insert: AGED OAK **TBW-15**



Frame: WALNUT **TH-16**Insert: WALNUT **TBW-16**































The Textures® LVT range has a Declared Slip Rating of 36+ in PTV (Pendulum Slip Value) tests, which is deemed as low slip potential. See page 45 for more details.