Textures

REGISTERED EMBOSSED LVT

COMMERCIAL HEAVY COMMERCIAL HEAVY CONTRACT CONTRACT USE USE LANK & HERRINGBONE RANGE Sixteen unique Planks and matching Herringbone in extra-matt EIR finish





PLANKS

Sycamore	TP-01	6
Old English Oak	TP-02	8
Tudor Oak	TP-03	10
Washed Oak	TP-04	12
Weathered Oak	TP-05	14
Distressed Oak	TP-06	16
Honey Oak	TP-07	18
Ash	TP-08	20
Blonde Oak	TP-09	24
Light Oak	TP-10	26
Summer Oak	TP-11	28
Country Oak	TP-12	30
Traditional Oak	TP-13	32
Cottage Oak	TP-14	34
Aged Oak	TP-15	36
Warm Walnut	TP-16	38
Plank Colour Swat	40-43	



HERRINGBONE

Sycamore	TH-01	44
Old English Oak	TH-02	46
Tudor Oak	TH-03	48
Washed Oak	TH-04	50
Weathered Oak	TH-05	52
Distressed Oak	TH-06	54
Honey Oak	TH-07	56
Ash	TH-08	58
Blonde Oak	TH-09	60
Light Oak	TH-10	62
Summer Oak	TH-11	64
Country Oak	TH-12	66
Traditional Oak	TP-13	68
Cottage Oak	TH-14	70
Aged Oak	TH-15	72
Warm Walnut	TH-16	74
Herringbone Colo	76-79	









REGISTERED EMBOSSED LVT

Textures[®] blends the beauty of natural wood with the high practicality of a stick-down LVT (luxury vinyl tile) for the perfect balance of style, functionality and advanced cutting-edge machine technology.

Experience all the knots and swirls in an ultra-matt low-sheen finish, through a range of sixteen patterns and colours, offered in matching Planks and Herringbones.

Textures[®] looks and feels just like real hardwood flooring, owing to its Registered Embossed finish (also known as EIR). This is a raised surface texture that matches the pattern of the wood-grain.

Boasting a commercial-rated 0.55mm thick wear layer, Textures® has exceptional scratch protection from scuffs, scrapes and stains from furniture, pets and little ones.

This protection ensures your new floor will maintain its great looks for many years, making it very easy to look after — just a soft brush and spray mop will do it. Textures® is also highly water-resistant which makes it ideal for kitchens and bathrooms (not wetrooms).

Registered Embossing for an Ultra-Realistic Finish

Textures® stick-down LVT is designed to match the look and feel of real hardwood flooring.

Registered Embossing (known as EIR) achieves this using advanced manufacturing techniques that produces a three-dimensional surface texture that exactly follows the knots and patterns of the wood-grain film layer below. What you can see also matches what you can feel.

- 2.5mm thickness
- · 0.55mm commercial wear layer
- Registered Embossed (EIR)
- · Highly water resistant
- Highly stain-resistant
- Slip-resistant rated +36
- · Ultra-matt finish (low sheen)
- · Micro-bevelled edges
- · Easy to clean and maintain
- · Rated A+ for VOC emissions
- · Contains no formaldehyde · 30-year residential warranty
- 15-year commercial warranty























PLANKS



Colours	16
Thickness	2.5mm
Wear layer	0.55mm
Size	187mm × 1227mm
Planks per pack	16 planks = 3.67m ²
Warranty	30-year residential 15-year commercial

Experience the beauty of natural wood with all the knots and swirls in a longer and wider format than the narrower and shorter Herringbone.

All sixteen Plank colours shown on the following pages are available in matching Herringbone (see pages 44-79).

SYCAMORE Plank **TP-01**Matching Herringbone **TH-01**

SYCAMORE Plank **TP-01**Matching Herringbone **TH-01**








Exceptionally Durable

Textures® is made to last. It has a commercially-rated 0.55mm thick wear layer, suitable for residential and commercial areas. The wear layer protects the floor from scuffs and scrapes, helping preserve its good looks and making it exceptionally easy to maintain.






Ultra-Realistic Appearance
Textures® has the most realistic aesthetic with a Registered Embossed surface finish that looks and feels just like natural hardwood. Micro-bevelled edges complete the authentic look.




WASHED OAK Plank **TP-04**Matching Herringbone **TH-04**





Water-Resistant
For complete peace of mind, Textures® is highly water- and stain-resistant which makes it an ideal choice for living rooms, hallways, bathrooms (not wetrooms), kitchens and play areas.






Easy to Maintain

Textures® is designed with easy maintenance in mind and features a 0.55mm thick commercially-rated wear layer. This is exceptionally scratch- and stain-resistant which means looking after it couldn't be any easier — just a soft brush and spray mop will do it.

DISTRESSED OAK Plank **TP-06**Matching Herringbone **TH-06**









HONEY OAK Plank **TP-07** Matching Herringbone **TH-07**

HONEY OAK Plank **TP-07**Matching Herringbone **TH-07**



No Need for Expansion Gaps
Textures® LVT requires only glue for installation. It can be fitted tight against straight and curved walls and fixtures, which means there is no requirement for expansion gaps.

ASH Plank **TP-08**Matching Herringbone **TH-08**





ASH Plank **TP-08** Matching Herringbone **TH-08**

ASH Plank **TP-08**Matching Herringbone **TH-08**



Safety First

Textures® is completely safe for your home. It contains no formaldehyde or heavy metals and is rated A+ for VOC emissions. It also achieves Eurofins Gold Certification for Indoor Air Comfort® and is FloorScore® certified.








Ultra-Matt Finish

Textures® is designed with an ultra-matt finish which avoids the high surface glare commonly associated with glossy floors.


This also showcases the superior scratch-resistant EIR surface which far exceeds almost all other brands.






SUMMER OAK Plank **TP-11** Matching Herringbone **TH-11**

SUMMER OAK Plank **TP-11**Matching Herringbone **TH-11**





Highly Slip-Resistant

Textures® rates highly in PTV (Pendulum Slip Value) tests with a rating of 36+ which is deemed as low slip potential.


PTV tests are conducted strictly in accordance with the UKSRG (UK Slip Resistance Group) and HSE (Health & Safety Executive) guidelines. PTV test ratings are as follows:

• 0-24 High risk


• 24-35 Moderate risk

• 36+ Low risk






TRADITIONAL OAK Plank **TP-13**Matching Herringbone **TH-13**Matching Herringbone TH-13



COTTAGE OAK Plank **TP-14**Matching Herringbone **TH-14**







Suitable for Underfloor Heating

With comfort in mind, Textures® is manufactured for use in rooms featuring water-based UFH (underfloor heating) systems.

Surface temperature must not exceed 27°C and flooring must be fitted in accordance with BS EN 1264-2, as well as the UFH manufacturer's guidelines. If other UFH systems are used, please first consult your flooring supplier for suitability.







WARM WALNUT Plank **TP-16** Matching Herringbone **TH-16**



SYCAMORE Plank **TP-01**Matching Herringbone **TH-01**

TUDOR OAK Plank **TP-03** Matching Herringbone **TH-03**



OLD ENGLISH OAK Plank **TP-02**Matching Herringbone **TH-02**



WASHED OAK Plank **TP-04**Matching Herringbone **TH-04**



WEATHERED OAK Plank **TP-05**Matching Herringbone **TH-05**



DISTRESSED OAK Plank **TP-06**Matching Herringbone **TH-06**



HONEY OAK Plank **TP-07**Matching Herringbone **TH-07**



ASH Plank **TP-08**Matching Herringbone **TH-08**

VIEW NEXT 8 COLOURS >



BLONDE OAK Plank **TP-09**Matching Herringbone **TH-09**



LIGHT OAK Plank **TP-10** Matching Herringbone **TH-10**



SUMMER OAK Plank **TP-11** Matching Herringbone **TH-11**



COUNTRY OAK Plank **TP-12**Matching Herringbone **TH-12**



TRADITIONAL OAK Plank **TP-13**Matching Herringbone **TH-13**



COTTAGE OAK Plank **TP-14**Matching Herringbone **TH-14**



AGED OAK Plank **TP-15**Matching Herringbone **TH-15**




WARM WALNUT Plank **TP-16**Matching Herringbone **TH-16**


42




Herringbone floors make a really bold statement and you can create the iconic zig-zag pattern in several ways in addition to some more unusual options. Below are a selection of the more popular Herringbone laying patterns.













Diagonal Herringbone



Herringbone/ Plank Mix



Herringbone Ladder

SYCAMORE Herringbone **TH-01**Matching Plank **TP-01**

HERRINGBONE




Colours	16
Thickness	2.5mm
Wear layer	0.55mm
Size	95mm × 380mm
Planks per pack	72 pieces = 2.599m ²
Warranty	30-year residential 15-year commercial

Herringbone is a timeless, elegant and hugely versatile option that will very easily transform your home or workplace.

With its commercially-rated wear layer, Textures® will make a visually striking impression in all settings.

All sixteen Herringbone colours shown on the following pages are available in matching Planks (see pages 6-43).


> SYCAMORE Herringbone **TH-01** Matching Plank **TP-01**





Micro-Bevelled Edges
Textures® is designed to replicate the look and feel of real hardwood flooring. All Planks and Herringbone feature micro-bevelled edges on all four sides to complete the authentic appearance.

OLD ENGLISH OAK Herringbone **TH-02** Matching Plank **TP-02**






Warranty and Certification

Very few brands can compare with the high-end manufacturing, detail and performance of the Textures® LVT Collection.


We offer complete peace of mind with our 15-year Residential and 30-year Commercial Wear Warranties.





WASHED OAK Herringbone **TH-04**Matching Plank **TP-04**Matching Plank **TP-04**

50




WEATHERED OAK Herringbone **TH-05**Matching Plank **TP-05**






DISTRESSED OAK Herringbone **TH-06**Matching Plank **TP-06**

DISTRESSED OAK Herringbone **TH-06**Matching Plank **TP-06**



HONEY OAK Herringbone **TH-07**Matching Plank **TP-07**





ASH Herringbone **TH-08**Matching Plank **TP-08**






BLONDE OAK Herringbone **TH-09**Matching Plank **TP-09**

BLONDE OAK Herringbone **TH-09**Matching Plank **TP-09**





<u>63</u>

LIGHT OAK Herringbone **TH-10**Matching Plank **TP-10**Matching Plank **TP-10**





SUMMER OAK Herringbone **TH-11**Matching Plank **TP-11**








<u>69</u>


COUNTRY OAK Herringbone **TH-12**Matching Plank **TP-12**Matching Plank **TP-12**


68






TRADITIONAL OAK Herringbone **TH-13**Matching Plank **TP-13**Matching Plank **TP-13**





AGED OAK Herringbone **TH-15**Matching Plank **TP-15**Matching Plank **TP-15**





<u>75</u>

WARM WALNUT Herringbone **TH-16**Matching Plank **TP-16**WARM WALNUT Herringbone **TH-16**Matching Plank **TP-16**

 $\frac{74}{}$



SYCAMORE Herringbone **TH-01**Matching Plank **TP-01**



OLD ENGLISH OAK Herringbone **TH-02** Matching Plank **TP-02**





DISTRESSED OAK Herringbone **TH-06**Matching Plank **TP-06**



TUDOR OAK Herringbone **TH-03** Matching Plank **TP-03**



WASHED OAK Herringbone **TH-04**Matching Plank **TP-04**



HONEY OAK Herringbone **TH-07** Matching Plank **TP-07**



ASH Herringbone **TH-08**Matching Plank **TP-08**

VIEW NEXT 8 COLOURS 🗲



BLONDE OAK Herringbone **TH-09**Matching Plank **TP-09**

SUMMER OAK Herringbone **TH-11** Matching Plank **TP-11**



LIGHT OAK Herringbone **TH-10** Matching Plank **TP-10**



COUNTRY OAK Herringbone **TH-12** Matching Plank **TP-12**



TRADITIONAL OAK Herringbone **TH-13**Matching Plank **TP-13**



COTTAGE OAK Plank **TP-14**Matching Herringbone **TH-14**



AGED OAK Herringbone **TH-15** Matching Plank **TP-15**



WARM WALNUT Herringbone **TH-16**Matching Plank **TP-16**

78





























The Textures® LVT range has a Declared Slip Rating of 36+ in PTV (Pendulum Slip Value) tests, which is deemed as low slip potential. See page 31 for more details.



