

Textures®

REGISTERED EMBOSSED LVT

COMMERCIAL
HEAVY
CONTRACT
USE

WARM WALNUT (Herringbone) TH-16

PLANK & HERRINGBONE RANGE

Sixteen unique Planks with
matching Herringbone in
extra-matt EIR finish

0.55MM
COMMERCIAL
WEAR
LAYER


15
YEAR
COMMERCIAL
WARRANTY

30
YEAR
RESIDENTIAL
WARRANTY





COUNTRY OAK Herringbone TH-12
Matching Plank TP-12



PLANKS

| | | |
|-----------------------|-------|-------|
| Sycamore | TP-01 | 6 |
| Old English Oak | TP-02 | 8 |
| Tudor Oak | TP-03 | 10 |
| Washed Oak | TP-04 | 12 |
| Weathered Oak | TP-05 | 14 |
| Distressed Oak | TP-06 | 16 |
| Honey Oak | TP-07 | 18 |
| Ash | TP-08 | 20 |
| Blonde Oak | TP-09 | 24 |
| Light Oak | TP-10 | 26 |
| Summer Oak | TP-11 | 28 |
| Country Oak | TP-12 | 30 |
| Traditional Oak | TP-13 | 32 |
| Cottage Oak | TP-14 | 34 |
| Aged Oak | TP-15 | 36 |
| Warm Walnut | TP-16 | 38 |
| Plank Colour Swatches | | 40-43 |

HERRINGBONE

| | | |
|-----------------------------|-------|-------|
| Sycamore | TH-01 | 44 |
| Old English Oak | TH-02 | 46 |
| Tudor Oak | TH-03 | 48 |
| Washed Oak | TH-04 | 50 |
| Weathered Oak | TH-05 | 52 |
| Distressed Oak | TH-06 | 54 |
| Honey Oak | TH-07 | 56 |
| Ash | TH-08 | 58 |
| Blonde Oak | TH-09 | 60 |
| Light Oak | TH-10 | 62 |
| Summer Oak | TH-11 | 64 |
| Country Oak | TH-12 | 66 |
| Traditional Oak | TP-13 | 68 |
| Cottage Oak | TH-14 | 70 |
| Aged Oak | TH-15 | 72 |
| Warm Walnut | TH-16 | 74 |
| Herringbone Colour Swatches | | 76-79 |

ACCESSORIES

| | |
|--------------------------------|----|
| Door Bar Wrap | 80 |
| Matching Feature Strips | 81 |
| Monza Aluminium Feature Strips | 82 |



Textures®

REGISTERED EMBOSSED LVT

Textures® blends the beauty of natural wood with the high practicality of a stick-down LVT (luxury vinyl tile) for the perfect balance of style, functionality and advanced cutting-edge machine technology.

Experience all the knots and swirls in an ultra-matt low-sheen finish, through a range of sixteen patterns and colours, offered in matching Planks and Herringbones.

Textures® looks and feels just like real hardwood flooring, owing to its Registered Embossed finish (also known as EIR). This is a raised surface texture that matches the pattern of the wood-grain.

Boasting a commercial-rated 0.55mm thick wear layer, Textures® has exceptional scratch protection from scuffs, scrapes and stains from furniture, pets and little ones.

This protection ensures your new floor will maintain its great looks for many years, making it very easy to look after — just a soft brush and spray mop will do it. Textures® is also highly water-resistant which makes it ideal for kitchens and bathrooms (not wetrooms).

Registered Embossing for an Ultra-Realistic Finish

Textures® stick-down LVT is designed to match the look and feel of real hardwood flooring.

Registered Embossing (known as EIR) achieves this using advanced manufacturing techniques that produces a three-dimensional surface texture that exactly follows the knots and patterns of the wood-grain film layer below. What you can see also matches what you can feel.

- 2.5mm thickness
- 0.55mm commercial wear layer
- Registered Embossed (EIR)
- Highly water resistant
- Highly stain-resistant
- Slip-resistant rated +36
- Ultra-matt finish (low sheen)
- Micro-bevelled edges
- Easy to clean and maintain
- Rated A+ for VOC emissions
- Contains no formaldehyde
- 30-year residential warranty
- 15-year commercial warranty



*Guaranteed for use only with electric and water-based underfloor heating (UFH) systems only



SYCAMORE Plank **TP-01**
Matching Herringbone **TH-01**

PLANKS



| | |
|---------------------|---|
| Colours | 16 |
| Thickness | 2.5mm |
| Wear layer | 0.55mm |
| Size | 187mm x 1227mm |
| Pcs per pack | 16 planks = 3.67m ² |
| Warranty | 30-year residential 15-year commercial |

Experience the beauty of natural wood with all the knots and swirls in a longer and wider format than the narrower and shorter Herringbone.

All 16 Plank colours shown on pages are also available in matching Herringbone **(see pages 44-79)**.

SYCAMORE Plank **TP-01**
Matching Herringbone **TH-01**



OLD ENGLISH OAK Plank **TP-02**
Matching Herringbone **TH-02**



Exceptionally Durable

Textures® is made to last. It has a commercially-rated 0.55mm thick wear layer, making it suitable for residential and commercial areas.

The wear layer protects the floor from scuffs and scrapes, helping preserve its good looks and making it exceptionally easy to maintain.

OLD ENGLISH OAK Plank **TP-02**
Matching Herringbone **TH-02**



TUDOR OAK Plank **TP-03**
Matching Herringbone **TH-03**



Ultra-Realistic Appearance

Textures® has the most realistic aesthetic with a Registered Embossed surface finish that looks and feels just like natural hardwood. Micro-bevelled edges complete the authentic appearance.


TUDOR OAK Plank **TP-03**
Matching Herringbone **TH-03**



WASHED OAK Plank **TP-04**
Matching Herringbone **TH-04**



WEATHERED OAK Plank **TP-05**
Matching Herringbone **TH-05**



Water-Resistant

For complete peace of mind, Textures® is highly water and stain-resistant which makes it an ideal choice for living rooms, hallways, bathrooms (not wetrooms), kitchens and play areas.

Spills can easily be wiped away without compromising the floor.

WEATHERED OAK Plank **TP-05**
Matching Herringbone **TH-05**



DISTRESSED OAK Plank **TP-06**
Matching Herringbone **TH-06**



Easy to Maintain

Textures® is designed with easy maintenance in mind with its exceptionally robust 0.55mm thick wear layer that is highly scratch and stain-resistant. Looking after it couldn't be simpler — just a soft brush and spray mop will do it.

DISTRESSED OAK Plank **TP-06**
Matching Herringbone **TH-06**



HONEY OAK Plank **TP-07**
Matching Herringbone **TH-07**



HONEY OAK Plank **TP-07**
Matching Herringbone **TH-07**





No Need for Expansion Gaps

LVT only requires glue for installation and can be fitted tight against straight and curved walls and fixtures. This omits the need for expansion gaps that are essential for hardwood floors.

ASH Plank **TP-08**
Matching Herringbone **TH-08**



ASH Plank **TP-08**
Matching Herringbone **TH-08**



ASH Plank **TP-08**
Matching Herringbone **TH-08**



BLONDE OAK Plank **TP-09**
Matching Herringbone **TH-09**



BLONDE OAK Plank **TP-09**
Matching Herringbone **TH-09**

Safety First

Textures® is completely safe for your home. It contains no formaldehyde or heavy metals and is rated A+ for VOC emissions. It also achieves Eurofins Gold Certification for Indoor Air Comfort® and is FloorScore® certified.

FloorScore® is the most recognized indoor air quality (IAQ) certification standard for hard surface flooring materials.



LIGHT OAK Plank **TP-10**
Matching Herringbone **TH-10**



Ultra-Matt Finish

Textures® is manufactured with an ultra-matt finish which avoids the high surface glare commonly associated with glossy floors.

This also showcases the superior scratch-resistant EIR surface which far exceeds almost all other brands and should be a consideration when making a purchase.

LIGHT OAK Plank **TP-10**
Matching Herringbone **TH-10**



SUMMER OAK Plank **TP-11**
Matching Herringbone **TH-11**



SUMMER OAK Plank **TP-11**
Matching Herringbone **TH-11**



COUNTRY OAK Plank **TP-12**
Matching Herringbone **TH-12**



Highly Slip-Resistant

Textures® achieves the highest score in Pendulum Slip Value (PTV) tests with a rating of 36+ which is deemed as low slip potential.

PTV tests are used in workplaces, public buildings, and legal investigations and are conducted strictly in accordance with the UK Slip Resistance Group (UKSRG) and Health & Safety Executive (HSE) guidelines.


PTV test ratings are defined as follows:

- 0-24 High risk (likely to fail safety requirements)
- 24-35 Moderate risk (caution required; may need mitigation)
- 36+ Low risk (meets HSE guidance for safe flooring)

COUNTRY OAK Plank **TP-12**
Matching Herringbone **TH-12**



TRADITIONAL OAK Plank **TP-13**
Matching Herringbone **TH-13**



TRADITIONAL OAK Plank **TP-13**
Matching Herringbone **TH-13**



COTTAGE OAK Plank **TP-14**
Matching Herringbone **TH-14**



AGED OAK Plank **TP-15**
Matching Herringbone **TH-15**



Suitable for Underfloor Heating


With practicality and comfort in mind, Textures® is guaranteed for use with electric and water-based underfloor heating (UFH) systems only.

The surface temperature must not exceed 27°C and flooring must be fitted in accordance with BS EN 1264-2 as well as the UFH manufacturer's guidelines.

AGED OAK Plank **TP-15**
Matching Herringbone **TH-15**



WARM WALNUT Plank **TP-16**
Matching Herringbone **TH-16**



WARM WALNUT Plank **TP-16**
Matching Herringbone **TH-16**




SYCAMORE Plank **TP-01**
Matching Herringbone **TH-01**



OLD ENGLISH OAK Plank **TP-02**
Matching Herringbone **TH-02**



WEATHERED OAK Plank **TP-05**
Matching Herringbone **TH-05**




DISTRESSED OAK Plank **TP-06**
Matching Herringbone **TH-06**



TUDOR OAK Plank **TP-03**
Matching Herringbone **TH-03**



WASHED OAK Plank **TP-04**
Matching Herringbone **TH-04**



HONEY OAK Plank **TP-07**
Matching Herringbone **TH-07**



ASH Plank **TP-08**
Matching Herringbone **TH-08**

[VIEW NEXT 8 COLOURS](#) 



BLONDE OAK Plank **TP-09**
Matching Herringbone **TH-09**



LIGHT OAK Plank **TP-10**
Matching Herringbone **TH-10**



TRADITIONAL OAK Plank **TP-13**
Matching Herringbone **TH-13**



COTTAGE OAK Plank **TP-14**
Matching Herringbone **TH-14**




SUMMER OAK Plank **TP-11**
Matching Herringbone **TH-11**



COUNTRY OAK Plank **TP-12**
Matching Herringbone **TH-12**



AGED OAK Plank **TP-15**
Matching Herringbone **TH-15**




WARM WALNUT Plank **TP-16**
Matching Herringbone **TH-16**




HERRINGBONE




Herringbone floors make a really bold statement and you can create the iconic zig-zag pattern in several ways in addition to some more unusual options. Below are a selection of the more popular Herringbone laying patterns.




Traditional Herringbone




Double Herringbone



Diagonal Herringbone



Herringbone/Plank Mix



Herringbone Ladder

SYCAMORE Herringbone **TH-01**
Matching Plank **TP-01**

| | |
|---------------------|---|
| Colours | 16 |
| Thickness | 2.5mm |
| Wear layer | 0.55mm |
| Size | 95mm x 380mm |
| Pcs per pack | 72 pieces = 2.599m ² |
| Warranty | 30-year residential 15-year commercial |

Herringbone is a timeless, elegant and hugely versatile option that will very easily transform your home or workplace.

With its commercially-rated wear layer, Textures® will make a visually striking impression in all settings.

All sixteen Herringbone colours shown on the following pages are available in matching Planks (**see pages 6-43**).

SYCAMORE Herringbone **TH-01**
Matching Plank **TP-01**



OLD ENGLISH OAK Herringbone **TH-02**
Matching Plank **TP-02**



Micro-Bevelled Edges

Textures® is designed to replicate the look and feel of real hardwood flooring. All Planks and Herringbone feature micro-bevelled edges on all four sides to complete the authentic appearance.

OLD ENGLISH OAK Herringbone **TH-02**
Matching Plank **TP-02**



TUDOR OAK Herringbone **TH-03**
Matching Plank **TP-03**



Warranty and Certification

Very few brands can compare with the high-end manufacturing, detail and performance of the Textures® LVT Collection.

Complete assurance and peace of mind is guaranteed with our 30-year residential and 15-year commercial wear warranties.

TUDOR OAK Herringbone **TH-03**
Matching Plank **TP-03**



WASHED OAK Herringbone **TH-04**
Matching Plank **TP-04**




WASHED OAK Herringbone **TH-04**
Matching Plank **TP-04**



WEATHERED OAK Herringbone **TH-05**
Matching Plank **TP-05**



DISTRESSED OAK Herringbone **TH-06**
Matching Plank **TP-06**



DISTRESSED OAK Herringbone **TH-06**
Matching Plank **TP-06**





ASH Herringbone **TH-08**
Matching Plank **TP-08**



ASH Herringbone **TH-08**
Matching Plank **TP-08**




BLONDE OAK Herringbone **TH-09**
Matching Plank **TP-09**




BLONDE OAK Herringbone **TH-09**
Matching Plank **TP-09**



LIGHT OAK Herringbone **TH-10**
Matching Plank **TP-10**



LIGHT OAK Herringbone **TH-10**
Matching Plank **TP-10**



SUMMER OAK Herringbone **TH-11**
Matching Plank **TP-11**



SUMMER OAK Herringbone **TH-11**
Matching Plank **TP-11**



COUNTRY OAK Herringbone **TH-12**
Matching Plank **TP-12**



COUNTRY OAK Herringbone **TH-12**
Matching Plank **TP-12**




TRADITIONAL OAK Herringbone **TH-13**
Matching Plank **TP-13**



TRADITIONAL OAK Herringbone **TH-13**
Matching Plank **TP-13**




COTTAGE OAK Herringbone **TH-14**
Matching Plank **TP-14**



COTTAGE OAK Herringbone **TH-14**
Matching Plank **TP-14**



AGED OAK Herringbone **TH-15**
Matching Plank **TP-15**



AGED OAK Herringbone **TH-15**
Matching Plank **TP-15**



WARM WALNUT Herringbone **TH-16**
Matching Plank **TP-16**



WARM WALNUT Herringbone **TH-16**
Matching Plank **TP-16**



SYCAMORE Herringbone **TH-01**
Matching Plank **TP-01**




OLD ENGLISH OAK Herringbone **TH-02**
Matching Plank **TP-02**



WEATHERED OAK Herringbone **TH-05**
Matching Plank **TP-05**



DISTRESSED OAK Herringbone **TH-06**
Matching Plank **TP-06**



TUDOR OAK Herringbone **TH-03**
Matching Plank **TP-03**



WASHED OAK Herringbone **TH-04**
Matching Plank **TP-04**



HONEY OAK Herringbone **TH-07**
Matching Plank **TP-07**



ASH Herringbone **TH-08**
Matching Plank **TP-08**

[VIEW NEXT 8 COLOURS >](#)



BLONDE OAK Herringbone **TH-09**
Matching Plank **TP-09**



LIGHT OAK Herringbone **TH-10**
Matching Plank **TP-10**



TRADITIONAL OAK Herringbone **TH-13**
Matching Plank **TP-13**




COTTAGE OAK Herringbone **TH-14**
Matching Plank **TP-14**



SUMMER OAK Herringbone **TH-11**
Matching Plank **TP-11**



COUNTRY OAK Herringbone **TH-12**
Matching Plank **TP-12**



AGED OAK Herringbone **TH-15**
Matching Plank **TP-15**



WARM WALNUT Herringbone **TH-16**
Matching Plank **TP-16**

ACCESSORIES



Self-Adhesive Matching Door Bar Wrap


For Seamless Transitions

To maintain continuity between rooms, Textures® Door Bar Wrap adds the ultimate seamless transition with a professional finish.

Wraps are available in all 12 colours to match the Textures® Plank and Herringbone range and sold in handy 10m rolls.

With a strong self-adhesive backing, the Door Bar Wrap is easy to cut and trim and offers a secure fit.

| | |
|---------------------|-------|
| Colours | 16 |
| Material | Vinyl |
| Width | 75mm |
| Length | 10m |
| Pcs per Pack | 1 |



Matching Feature Strips

For The Perfect Finish

Add the professional finish to borders and feature areas with Textures® LVT Feature Strips which are available in all 16 colours to match the entire Plank and Herringbone range.

Sold in 36" lengths, they have 0.55mm wear layer and align with the bottom of the bevelled edge on Plank and Herringbone.

Available in packs of 25 units per rigid tube.

| | |
|---------------------|---------------|
| Colours | 16 |
| Thickness | 2.3mm |
| Wear layer | 0.55mm |
| Width | 75mm |
| Length | 36" (914.4mm) |
| Pcs per Pack | 25 |



MONZA

Anodized Aluminium Feature Strips

Add a Touch of Luxury

For a luxurious contrasting border and visual effect, Monza anodized aluminium features strips are available in 10 colours.

Anodized aluminium offers exceptional durability, superior corrosion and wear resistance and a color-stable finish.


Made in 1000mm lengths, they align with the bottom of the bevelled edge on all Textures® Planks and Herringbone.

Available in packs of 25 units per rigid tube.

| | |
|---------------------|-----------|
| Colours | 10 |
| Thickness | Aluminium |
| Wear layer | 2.3mm |
| Width | 4.0mm |
| Length | 1000mm |
| Pcs per Pack | 25 |




**ORDER
A SAMPLE
BOX TODAY**
Please email or call
the Sales Office



- MFS-01** Black Brushed
- MFS-02** Gold Brushed
- MFS-03** Silver Brushed
- MFS-04** Rose Gold Brushed
- MFS-05** Champagne Brushed
- MFS-06** Antique Gold Brushed
- MFS-07** Silver Matt
- MFS-08** Black Matt
- MFS-09** Gold Matt
- MFS-10** Silver Polished






Textures®

REGISTERED EMBOSSED LVT

PLANK & HERRINGBONE RANGE



Textures® LVT has a Declared Slip Rating of 36+ in PTV (Pendulum Slip Value) tests which is deemed as low slip potential. See page 31 for more details.

For a Technical Data Sheet and information on cleaning, maintenance, installation and warranties, please refer to textureslvt.co.uk