Textures®

REGISTERED EMBOSSED LVT

COMMERCIAL HEAVY CONTRACT USE



WARM WALNUT (Herringbone) TH-16

PLANK & HERRINGBONE RANGE

Sixteen unique Planks with matching Herringbone in extra-matt EIR finish

0.55MM COMMERCIAL WEAR LAYER

15 YEAR COMMERCIAL WARRANTY

30 YEAR RESIDENTIAL WARRANTY

INDOOR AIR COMFORT eurofins GOLD CERTIFIED PRODUCT



COUNTRY OAK Herringbone **TH-12**
Matching Plank **TP-12**







PLANKS

Sycamore	TP-01	**6**
Old English Oak	TP-02	**8**
Tudor Oak	TP-03	**10**
Washed Oak	TP-04	**12**
Weathered Oak	TP-05	**14**
Distressed Oak	TP-06	**16**
Honey Oak	TP-07	**18**
Ash	TP-08	**20**
Blonde Oak	TP-09	**24**
Light Oak	TP-10	**26**
Summer Oak	TP-11	**28**
Country Oak	TP-12	**30**
Traditional Oak	TP-13	**32**
Cottage Oak	TP-14	**34**
Aged Oak	TP-15	**36**
Warm Walnut	TP-16	**38**
Plank Colour Swatches		**40-43**

HERRINGBONE

Sycamore	TH-01	**44**
Old English Oak	TH-02	**46**
Tudor Oak	TH-03	**48**
Washed Oak	TH-04	**50**
Weathered Oak	TH-05	**52**
Distressed Oak	TH-06	**54**
Honey Oak	TH-07	**56**
Ash	TH-08	**58**
Blonde Oak	TH-09	**60**
Light Oak	TH-10	**62**
Summer Oak	TH-11	**64**
Country Oak	TH-12	**66**
Traditional Oak	TP-13	**68**
Cottage Oak	TH-14	**70**
Aged Oak	TH-15	**72**
Warm Walnut	TH-16	**74**
Herringbone Colour Swatches		**76-79**

ACCESSORIES

Door Bar Wrap	**80**
Matching Feature Strips	**81**
Monza Aluminium Feature Strips	**82**

FSC
www.fsc.org
MIX
Paper | Supporting responsible forestry
FSC® C006518



ÉMISSIONS DANS L'AIR INTÉRIEUR* A+ A+ A B C

VERIFIED by SCS GLOBAL SERVICES ENVIRONMENTAL PRODUCT DECLARATION BASED ON LCA

floor score CERTIFIED BY SCS Global Services

INDOOR AIR COMFORT eurofins GOLD CERTIFIED PRODUCT

100% RECYCLABLE

AUTHENTIC WOOD TEXTURE

0.55mm WEAR LAYER

WATER RESISTANT

SLIP RATED 36+

EASY TO CLEAN

UFH SUITABLE*

LOW VOC A+

MICRO BEVELLED EDGES

*Guaranteed for use only with electric and water-based underfloor heating (UFH) systems only

15 YEAR COMMERCIAL WARRANTY

30 YEAR RESIDENTIAL WARRANTY

Textures®

REGISTERED EMBOSSED LVT

Textures® blends the beauty of natural wood with the high practicality of a stick-down LVT (luxury vinyl tile) for the perfect balance of style, functionality and advanced cutting-edge machine technology.

Experience all the knots and swirls in an ultra-matt low-sheen finish, through a range of sixteen patterns and colours, offered in matching Planks and Herringbones.

Textures® looks and feels just like real hardwood flooring, owing to its Registered Embossed finish (also known as EIR). This is a raised surface texture that matches the pattern of the wood-grain.

Boasting a commercial-rated 0.55mm thick wear layer, Textures® has exceptional scratch protection from scuffs, scrapes and stains from furniture, pets and little ones.

This protection ensures your new floor will maintain its great looks for many years, making it very easy to look after — just a soft brush and spray mop will do it. Textures® is also highly water-resistant which makes it ideal for kitchens and bathrooms (not wetrooms).


Registered Embossing for an Ultra-Realistic Finish

Textures® stick-down LVT is designed to match the look and feel of real hardwood flooring.

Registered Embossing (known as EIR) achieves this using advanced manufacturing techniques that produces a three-dimensional surface texture that exactly follows the knots and patterns of the wood-grain film layer below. What you can see also matches what you can feel.

- 2.5mm thickness
- 0.55mm commercial wear layer
- Registered Embossed (EIR)
- Highly water resistant
- Highly stain-resistant
- Slip-resistant rated +36
- Ultra-matt finish (low sheen)
- Micro-bevelled edges
- Easy to clean and maintain
- Rated A+ for VOC emissions
- Contains no formaldehyde
- 30-year residential warranty
- 15-year commercial warranty





PLANKS




Colours	16
Thickness	2.5mm
Wear layer	0.55mm
Size	187mm × 1227mm
Pcs per pack	16 planks = 3.67m²
Warranty	30-year residential 15-year commercial

Experience the beauty of natural wood with all the knots and swirls in a longer and wider format than the narrower and shorter Herringbone.

All 16 Plank colours shown on pages are also available in matching Herringbone **(see pages 44-79).**




OLD ENGLISH OAK Plank **TP-02**
Matching Herringbone **TH-02**



Exceptionally Durable
Textures® is made to last. It has a commercially-rated 0.55mm thick wear layer, making it suitable for residential and commercial areas.

The wear layer protects the floor from scuffs and scrapes, helping preserve its good looks and making it exceptionally easy to maintain.

OLD ENGLISH OAK Plank **TP-02**
Matching Herringbone **TH-02**




TUDOR OAK Plank **TP-03**
Matching Herringbone **TH-03**



Ultra-Realistic Appearance
Textures® has the most realistic aesthetic with a Registered Embossed surface finish that looks and feels just like natural hardwood. Micro-bevelled edges complete the authentic appearance.

TUDOR OAK Plank **TP-03**
Matching Herringbone **TH-03**

WASHED OAK Plank **TP-04**
Matching Herringbone **TH-04**





Water-Resistant
For complete peace of mind, Textures® is highly water and stain-resistant which makes it an ideal choice for living rooms, hallways, bathrooms (not wetrooms), kitchens and play areas.

Spills can easily be wiped away without compromising the floor.

WEATHERED OAK Plank **TP-05**
Matching Herringbone **TH-05**

WEATHERED OAK Plank **TP-05**
Matching Herringbone **TH-05**

DISTRESSED OAK Plank **TP-06**
Matching Herringbone **TH-06**




Easy to Maintain

Textures® is designed with easy maintenance in mind with its exceptionally robust 0.55mm thick wear layer that is highly scratch and stain-resistant. Looking after it couldn't be simpler — just a soft brush and spray mop will do it.

DISTRESSED OAK Plank **TP-06**
Matching Herringbone **TH-06**



HONEY OAK Plank **TP-07**
Matching Herringbone **TH-07**





HONEY OAK Plank **TP-07**
Matching Herringbone **TH-07**



No Need for Expansion Gaps
LVT only requires glue for installation and can be fitted tight against straight and curved walls and fixtures. This omits the need for expansion gaps that are essential for hardwood floors.

ASH Plank **TP-08**
Matching Herringbone **TH-08**



ASH Plank **TP-08**
Matching Herringbone **TH-08**



ASH Plank **TP-08**
Matching Herringbone **TH-08**



BLONDE OAK Plank **TP-09**
Matching Herringbone **TH-09**



Safety First
Textures® is completely safe for your home. It contains no formaldehyde or heavy metals and is rated A+ for VOC emissions. It also achieves Eurofins Gold Certification for Indoor Air Comfort® and is FloorScore® certified.

FloorScore® is the most recognized indoor air quality (IAQ) certification standard for hard surface flooring materials.

BLONDE OAK Plank **TP-09**
Matching Herringbone **TH-09**



LIGHT OAK Plank **TP-10**
Matching Herringbone **TH-10**





Ultra-Matt Finish


Textures® is manufactured with an ultra-matt finish which avoids the high surface glare commonly associated with glossy floors.

This also showcases the superior scratch-resistant EIR surface which far exceeds almost all other brands and should be a consideration when making a purchase.


LIGHT OAK Plank **TP-10**
Matching Herringbone **TH-10**

SUMMER OAK Plank **TP-11**
Matching Herringbone **TH-11**

SUMMER OAK Plank **TP-11**
Matching Herringbone **TH-11**



COUNTRY OAK Plank **TP-12**
Matching Herringbone **TH-12**



Highly Slip-Resistant

Textures® achieves the highest score in Pendulum Slip Value (PTV) tests with a rating of 36+ which is deemed as low slip potential.

PTV tests are used in workplaces, public buildings, and legal investigations and are conducted strictly in accordance with the UK Slip Resistance Group (UKSRG) and Health & Safety Executive (HSE) guidelines.


PTV test ratings are defined as follows:

- 0-24 High risk (likely to fail safety requirements)
- 24-35 Moderate risk (caution required; may need mitigation)
- 36+ Low risk (meets HSE guidance for safe flooring)

COUNTRY OAK Plank **TP-12**
Matching Herringbone **TH-12**



TRADITIONAL OAK Plank **TP-13**
Matching Herringbone **TH-13**



TRADITIONAL OAK Plank **TP-13**
Matching Herringbone **TH-13**


COTTAGE OAK Plank **TP-14**
Matching Herringbone **TH-14**






Suitable for Underfloor Heating
With practicality and comfort in mind, Textures® is guaranteed for use with electric and water-based underfloor heating (UFH) systems only.

The surface temperature must not exceed 27°C and flooring must be fitted in accordance with BS EN 1264-2 as well as the UFH manufacturer's guidelines.



WARM WALNUT Plank **TP-16**
Matching Herringbone **TH-16**





WARM WALNUT Plank **TP-16**
Matching Herringbone **TH-16**



SYCAMORE Plank **TP-01**
Matching Herringbone **TH-01**



OLD ENGLISH OAK Plank **TP-02**
Matching Herringbone **TH-02**



TUDOR OAK Plank **TP-03**
Matching Herringbone **TH-03**



WASHED OAK Plank **TP-04**
Matching Herringbone **TH-04**



WEATHERED OAK Plank **TP-05**
Matching Herringbone **TH-05**



DISTRESSED OAK Plank **TP-06**
Matching Herringbone **TH-06**



HONEY OAK Plank **TP-07**
Matching Herringbone **TH-07**



ASH Plank **TP-08**
Matching Herringbone **TH-08**

VIEW NEXT 8 COLOURS ➤



BLONDE OAK Plank **TP-09**
Matching Herringbone **TH-09**



LIGHT OAK Plank **TP-10**
Matching Herringbone **TH-10**



SUMMER OAK Plank **TP-11**
Matching Herringbone **TH-11**



COUNTRY OAK Plank **TP-12**
Matching Herringbone **TH-12**



TRADITIONAL OAK Plank **TP-13**
Matching Herringbone **TH-13**



COTTAGE OAK Plank **TP-14**
Matching Herringbone **TH-14**




AGED OAK Plank **TP-15**
Matching Herringbone **TH-15**



WARM WALNUT Plank **TP-16**
Matching Herringbone **TH-16**



Herringbone floors make a really bold statement and you can create the iconic zig-zag pattern in several ways in addition to some more unusual options. Below are a selection of the more popular Herringbone laying patterns.



Traditional Herringbone

Double Herringbone


Diagonal Herringbone

Herringbone/ Plank Mix

Herringbone Ladder

SYCAMORE Herringbone **TH-01**
Matching Plank **TP-01**

HERRINGBONE




Colours	16
Thickness	2.5mm
Wear layer	0.55mm
Size	95mm × 380mm
Pcs per pack	72 pieces = 2.599m²
Warranty	30-year residential 15-year commercial

Herringbone is a timeless, elegant and hugely versatile option that will very easily transform your home or workplace.

With its commercially-rated wear layer, Textures® will make a visually striking impression in all settings.

All sixteen Herringbone colours shown on the following pages are available in matching Planks **(see pages 6-43).**

SYCAMORE Herringbone **TH-01**
Matching Plank **TP-01**



OLD ENGLISH OAK Herringbone **TH-02**
Matching Plank **TP-02**



Micro-Bevelled Edges
Textures® is designed to replicate the look and feel of real hardwood flooring. All Planks and Herringbone feature micro-bevelled edges on all four sides to complete the authentic appearance.

OLD ENGLISH OAK Herringbone **TH-02**
Matching Plank **TP-02**

TUDOR OAK Herringbone **TH-03**
Matching Plank **TP-03**



Warranty and Certification


Very few brands can compare with the high-end manufacturing, detail and performance of the Textures® LVT Collection.

Complete assurance and peace of mind is guaranteed with our 30-year residential and 15-year commercial wear warranties.

TUDOR OAK Herringbone **TH-03**
Matching Plank **TP-03**



WASHED OAK Herringbone **TH-04**
Matching Plank **TP-04**




WASHED OAK Herringbone **TH-04**
Matching Plank **TP-04**



WEATHERED OAK Herringbone **TH-05**
Matching Plank **TP-05**



DISTRESSED OAK Herringbone **TH-06**
Matching Plank **TP-06**



DISTRESSED OAK Herringbone **TH-06**
Matching Plank **TP-06**

HONEY OAK Herringbone **TH-07**
Matching Plank **TP-07**


ASH Herringbone **TH-08**
Matching Plank **TP-08**



ASH Herringbone **TH-08**
Matching Plank **TP-08**




BLONDE OAK Herringbone **TH-09**
Matching Plank **TP-09**




BLONDE OAK Herringbone **TH-09**
Matching Plank **TP-09**



LIGHT OAK Herringbone **TH-10**
Matching Plank **TP-10**



LIGHT OAK Herringbone **TH-10**
Matching Plank **TP-10**



SUMMER OAK Herringbone **TH-11**
Matching Plank **TP-11**



SUMMER OAK Herringbone **TH-11**
Matching Plank **TP-11**




COUNTRY OAK Herringbone **TH-12**
Matching Plank **TP-12**




COUNTRY OAK Herringbone **TH-12**
Matching Plank **TP-12**






TRADITIONAL OAK Herringbone **TH-13**
Matching Plank **TP-13**


TRADITIONAL OAK Herringbone **TH-13**
Matching Plank **TP-13**




COTTAGE OAK Herringbone **TH-14**
Matching Plank **TP-14**



COTTAGE OAK Herringbone **TH-14**
Matching Plank **TP-14**




AGED OAK Herringbone **TH-15**
Matching Plank **TP-15**



AGED OAK Herringbone **TH-15**
Matching Plank **TP-15**



WARM WALNUT Herringbone **TH-16**
Matching Plank **TP-16**



WARM WALNUT Herringbone **TH-16**
Matching Plank **TP-16**



SYCAMORE Herringbone **TH-01**
Matching Plank **TP-01**



OLD ENGLISH OAK Herringbone **TH-02**
Matching Plank **TP-02**



TUDOR OAK Herringbone **TH-03**
Matching Plank **TP-03**



WASHED OAK Herringbone **TH-04**
Matching Plank **TP-04**



WEATHERED OAK Herringbone **TH-05**
Matching Plank **TP-05**



DISTRESSED OAK Herringbone **TH-06**
Matching Plank **TP-06**



HONEY OAK Herringbone **TH-07**
Matching Plank **TP-07**



ASH Herringbone **TH-08**
Matching Plank **TP-08**

VIEW NEXT 8 COLOURS ➤



BLONDE OAK Herringbone **TH-09**
Matching Plank **TP-09**



LIGHT OAK Herringbone **TH-10**
Matching Plank **TP-10**



SUMMER OAK Herringbone **TH-11**
Matching Plank **TP-11**



COUNTRY OAK Herringbone **TH-12**
Matching Plank **TP-12**




TRADITIONAL OAK Herringbone **TH-13**
Matching Plank **TP-13**



COTTAGE OAK Herringbone **TH-14**
Matching Plank **TP-14**



AGED OAK Herringbone **TH-15**
Matching Plank **TP-15**



WARM WALNUT Herringbone **TH-16**
Matching Plank **TP-16**

ACCESSORIES



Self-Adhesive Matching Door Bar Wrap

For Seamless Transitions

To maintain continuity between rooms, Textures® Door Bar Wrap adds the ultimate seamless transition with a professional finish.

Wraps are available in all 12 colours to match the Textures® Plank and Herringbone range and sold in handy 10m rolls.

With a strong self-adhesive backing, the Door Bar Wrap is easy to cut and trim and offers a secure fit.

Colours	16
Material	Vinyl
Width	75mm
Length	10m
Pcs per Pack	1



TFS-01 Sycamore

TFS-02 Old English Oak

TFS-03 Tudor Oak

TFS-04 Washed Oak

TFS-05 Weathered Oak

TFS-06 Distressed Oak

TFS-07 Honey Oak

TFS-08 Ash

TFS-09 Blonde Oak

TFS-10 Light Oak

TFS-11 Summer Oak

TFS-12 Country Oak

TFS-13 Traditional Oak

TFS-14 Cottage Oak

TFS-15 Aged Oak

TFS-16 Warm Walnut

Matching Feature Strips

For The Perfect Finish

Add the professional finish to borders and feature areas with Textures® LVT Feature Strips which are available in all 16 colours to match the entire Plank and Herringbone range.

Sold in 36" lengths, they have 0.55mm wear layer and align with the bottom of the bevelled edge on Plank and Herringbone.

Available in packs of 25 units per rigid tube.

Colours	16
Thickness	2.3mm
Wear layer	0.55mm
Width	75mm
Length	36" (914.4mm)
Pcs per Pack	25



MONZA

Anodized Aluminium Feature Strips

Add a Touch of Luxury


For a luxurious contrasting border and visual effect, Monza anodized aluminium features strips are available in 10 colours.

Anodized aluminium offers exceptional durability, superior corrosion and wear resistance and a color-stable finish.

Made in 1000mm lengths, they align with the bottom of the bevelled edge on all Textures® Planks and Herringbone.

Available in packs of 25 units per rigid tube.

Colours	10
Thickness	Aluminium
Width	4.0mm
Length	1000mm
Pcs per Pack	25



MFS-01 Black Brushed

MFS-02 Gold Brushed

MFS-03 Silver Brushed

MFS-04 Rose Gold Brushed

MFS-05 Champagne Brushed

MFS-06 Antique Gold Brushed

MFS-07 Silver Matt

MFS-08 Black Matt

MFS-09 Gold Matt

MFS-10 Silver Polished



ORDER A SAMPLE BOX TODAY

Please email or call the Sales Office



Textures®
REGISTERED EMBOSSED LVT

ISSUE 04 | AUG 2026

DATA & SPEC SHEET — HEAVY CONTRACT USE WATER-RESISTANT LVT

Product Definition		Dryback LVT Plank & matching HB (Herringbone)	
Embossing Definition		EIR (Embossed-in-Register)	
Surface Treatment		UV, matt finish	
Scratch Resistance	ISO 1518-1	Value on application. Scratch-resistant aluminium oxide.	
Water Resistance		Highly water-resistant (unsuitable for wetrooms)	
Dimensions		**Planks:** 187 × 1227mm	**HB:** 95 × 380mm
Units per Pack		**Planks:** 16 = 3.67m²	**HB:** 72 pieces = 2.599m²
Pack Weight		**Planks:** 16.52kg	**HB:** 11.70kg
Thickness/Wear Layer		2.50mm / 0.55mm	
Micro-bevelled Edges	[redacted]	4 × micro-bevels per plank	
Performance Classification	EN ISO 10874	Class 33/42 Heavy Contract	
Anti-slip Classification	EN 16165:2021	36+ (denotes product as low risk — see page 31 for details)	
Castor Chair Test	EN ISO 4918	Pass	
Residual Indentation	EN ISO 24343-1	≤0.1mm	
Resistance to Staining	ISO 26987	Pass	
Reaction to Fire	EN 13501-1	Bfl-s1	
Reaction to Light	ISO 105 B02	≥6	
Thermal Conductivity	EN 12667	0.051 m² K/W	
Thermal Resistance	EN 12667	0.039 m² K/W	
Dimensional Stability	EN ISO 23999	≤0.15%	
Curling Resultant to Heat	EN ISO 23999	≤1.0mm	
Underfloor Heating Suitability	Yes	Water-based UFH system only to max. temp 27°C (80.6F)	
VOC Emissions	ISO 16000	A+	
Formaldehyde HCHO Emission	EN 717-1	Class E1	
Indoor Air Comfort	Eurofins	Pass — Gold	
UKCA/CE/Floorscore/EPD		Certified	
Wear Warranty		**Residential:** 30-year	**Commercial:** 15-year

33 42 Bfl-s1 DS E1 HCHO UK CA CE

ÉMISSIONS DANS L'AIR INTÉRIEUR* A+ A+ A B C

VERIFIED by SCS GLOBAL SERVICES ENVIRONMENTAL PRODUCT DECLARATION BASED ON LCA

floor score CERTIFIED BY SCS Global Services

INDOOR AIR COMFORT eurofins GOLD CERTIFIED PRODUCT

100% RECYCLABLE

PLANKS: 187 × 1227 mm
HERRINGBONE: 95 × 380 mm

GENERAL

Cleaning, Maintenance and Installation	Please refer to guidance at **textureslvt.co.uk** Brochure and Data Sheet also available for digital download.
Laying Instructions	We strongly recommend fitting is carried out by flooring professionals only and that advice is sought regarding the surface on which the LVT is to be laid and the correct adhesives to be used.
PLEASE NOTE	Colour variations have been specially developed between planks to replicate the unique and natural character of real wood flooring.
Warranty	Textures® Embossed-in-Register LVT is backed by our 30-year Residential and 15-year Commercial Warranty, subject to T&Cs (available on request) and are downloadable at **textureslvt.co.uk**

FSC www.fsc.org MIX Paper | Supporting responsible forestry FSC® C006518